

## Reed, Angel

---

**From:** Spurlin.Steve@epamail.epa.gov  
**Sent:** Wednesday, May 14, 2008 6:01 PM  
**To:** Draper, Chris  
**Cc:** Reed, Angel; Harrigan, Sandra  
**Subject:** Re: Clinton Smelter / Magnet Mills Site (TTEMI-05-003-0044)

**Attachments:** pic06272.jpg



pic06272.jpg (4 KB)

I concur it was not needed

"Draper, Chris"  
<chris.draper@ttemi.com>  
05/14/2008 03:54 PM  
To  
Steve Spurlin/R4/USEPA/US@EPA  
cc  
"Harrigan, Sandra"  
<Sandra.Harrigan@ttemi.com>,  
"Reed, Angel"  
<Angel.Reed@ttemi.com>  
Subject  
Clinton Smelter / Magnet Mills  
Site (TTEMI-05-003-0044)

Steve:

Please reference my telephone message to you earlier today... In an effort to ensure that all requirements are met on TDD's, could you please respond by clicking "Reply to All" with your concurrence regarding the following:

During our numerous scoping calls and the site visit, it was determined that, although a HASP was necessary and appropriate, neither a QAPP nor a SAP was required for the Clinton Smelter / Magnet Mills Site. Thank you very much. Please call me with any questions.

Chris Draper | Eastern Regional Health & Safety Representative | USEPA Region 4 START III Health & Safety Officer  
Direct: 615.252.4794 | Cell: 615.969.1334 | Fax: 615.254.4507 chris.draper@ttemi.com (Embedded image moved to file: pic06272.jpg) Tetra Tech | Complex World, Clear Solutions TM www.ttemi.com | NASDAQ:TTEK Tetra Tech EM Inc | Nashville Office

712 Melrose Avenue | Nashville, TN 37211 PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

P Think Green - Not every email needs to be printed

